



ZEP MANUFACTURING COMPANY
Acuity Specialty Products Group, Inc.
P.O. BOX 2015
ATLANTA, GA 30301
1-877-1-BUY-ZEP

Material Safety Data Sheet
and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product name Zep Sta-A-Way Insect Repellent Towel
Product Code 1415 **Date of issue** 3/12/03
Version 1.00 **Supersedes**
Product Use

00446 8320

WEST HAVEN GOLF CLUB
1400 S WEST HAVEN DR
OSHKOSH WI 54904

Emergency Telephone Numbers For MSDS Information:
Acuity Specialty Products Group, Inc.
Compliance Services 1-877-1BUY-ZEP

For Medical Emergency:
INFOTRAC
(877) 641-3818 Toll Free - All Calls Recorded

For a Transportation Emergency:
CHEMTREC
(800) 424-9300 - All Calls Recorded
In the District of Columbia (202) 483-7616

Printing date: 07/22/04

Prepared by Compliance Services Group
Acuity Specialty Products Group
1420 Seaboard Industrial Blvd.
Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS #	% by Weight	Exposure Limits
1) DEET; diethyltoluamide; N,N-diethyl-m-toluamide	134-62-3	30	Not available.
2) ETHANOL; ethyl alcohol; grain alcohol	64-17-5	60-80	ACGIH TLV (United States). TWA: 1000 ppm OSHA PEL (United States). TWA: 1000 ppm

Section 3. Hazards Identification

Acute Effects **Routes of Entry** Eye contact.
Skin Non-irritant for skin. May cause allergic reactions to certain individuals.
Eyes Slightly hazardous in case of eye contact (irritant).
Inhalation Inhalation not likely under normal use conditions.
Ingestion Unlikely in this form.

HMIS	
Health	1
Fire Hazard	2
Reactivity	0
Personal Protection	B

Carcinogenic Effects Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.
Chronic Effects No known chronic effects from exposure. Repeated or prolonged exposure is not known to aggravate medical condition.

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin Contact Wash affected area with soap or mild detergent and water. Get medical attention if irritation develops.
Inhalation Inhalation not likely under normal use conditions.
Ingestion Ingestion unlikely in this form.

Section 5. Fire Fighting Measures

Flash Point Flashable solid. **Flammable Limits** Not applicable.
Flammability Flashable when exposed to flame.
Fire Hazard Avoid all possible sources of ignition (spark or flame).
Fire-Fighting Procedures Use DRY chemicals, CO2, water spray or foam.



Section 6. Accidental Release Measures

Spill Clean up Spills are unlikely in this form. Place unused product in a suitable waste container.

Section 7. Handling and Storage

Handling Avoid contact with eyes and lips. Use away from heat, sparks, open flame, or any other ignition source. Do not smoke or use matches or lighters during use.
Storage Store in a cool dry place away from incompatible materials. Store below 128°F. Keep out of the reach of children.

Section 8. Exposure Controls, Personal Protection**Personal Protection**

Eyes No special measures required. Avoid contact with eyes.
Body No protective clothing is required under normal conditions of use.
Respiratory Not applicable.

Protective Clothing (Pictograms)**Section 9. Physical and Chemical Properties**

Physical State	Solid (Towels)	Color	Colorless Liquid / White Towels
pH	Not available.	Odor	Alcohol
Boiling Point	Not available.	Vapor Pressure	Not available.
Specific Gravity	Not available.	Vapor Density	Not available.
Solubility	Not available.	Evaporation Rate	Not available.
		VOC (Consumer)	609 (g/l).

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.
Incompatibility Strong oxidizing materials
Hazardous Polymerization Will not occur.
Hazardous Decomposition Products Carbon oxides (CO, CO₂), formaldehyde, nitrogen oxides (NO, NO₂...), ammonia, and unspecified organic materials.

Section 11. Toxicological Information

Toxicity to Animals Not available. Testing not conducted.

Section 12. Ecological Information

Ecotoxicity Not available.
Biodegradable/OECD Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream Non-hazardous waste
 Consult your local or regional authorities.

Section 14. Transport Information

Proper shipping name Not applicable.
DOT Classification Not a DOT controlled material (United States).
UN number Not regulated.

Section 15. Regulatory Information

U.S. Federal Regulations SARA 313 toxic chemical notification and release reporting: No products were found.
 Clean Water Act (CWA) 311: No products were found.
 Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above nor the supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

MATERIAL SAFETY DATA SHEET

NOTICE

Thank you for your interest in, and use of, this product. Acuity Specialty Products Group is pleased to be of service to you by supplying this Material Safety Data Sheet for your files. Acuity Specialty Products Group is concerned for your health and safety. This product and all others supplied by Acuity Specialty Products Group companies can be used safely with proper protective equipment and proper handling practices consistent with label instructions and the MSDS. Before using any this product, be sure to read the complete label and the Material Safety Data Sheet.

As a further word of caution, Acuity Specialty Products Group wishes to advise that serious accidents have resulted from the misuse of "emptied" containers. "Empty" containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, or other sources of ignition; they may explode or develop harmful vapors and possibly cause injury or death. Clean empty containers by triple rinsing with water or an appropriate solvent. Empty containers must be sent to a drum reconditioner before reuse.

TERMS AND ABBREVIATIONS Listed Alphabetically by Section

SECTION II: HAZARDOUS INGREDIENTS

CAR: Carcinogen - A chemical listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC) or OSHA as a definite or possible human cancer causing agent.

CAS#: Chemical Abstract Services Registry Number - A universally accepted numbering system for chemical substances.

CBL: Combustible - At temperatures between 100°F and 200°F chemical gives off enough vapor to ignite if a source of ignition is present as tested with a closed cup tester.

CNS: Central Nervous System depressant that reduces the activity of the brain and spinal cord.

COR: Corrosive - Causes irreversible injury to living tissue (e.g. burns).

DESIGNATIONS: Chemical and common names of hazardous ingredients.

EIR: Eye Irritant Only - Causes reversible reddening and/or inflammation of eye tissues.

EXPOSURE LIMITS: The time weighted average (TWA) airborne concentration at which most workers can be exposed without any expected adverse effects. Primary sources include ACGIH TLVs, and OSHA PELs.

ACGIH: American Conference of Governmental Industrial Hygienists

CEILING: "The concentration that should not be exceeded in the workplace during any part of the working exposure." Source, ACGIH

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limit - A set of time weighted average exposure values, established by OSHA, for a normal 8-hour day and a 40-hour work-week.

PPM: Parts per million - unit of measure for exposure limits.

(S) SKIN: Skin contact with substance can contribute to overall exposure.

STEL: Short Term Exposure Limit - Maximum concentration for a continuous 15-minute exposure period.

TLV: Threshold Limit Value - A set of time weighted average exposure limits, established by the ACGIH, for a normal 8-hour day and a 40-hour work-week.

FBL: Flammable - At temperatures under 100°F, chemical gives off enough vapors to ignite if a source of ignition is present as tested with a closed cup tester.

HAZARDOUS INGREDIENTS: Chemical substances that are determined to be potential health or physical hazards based on the criteria established in the OSHA Hazard Communication Standard - 29 CFR 1910.1200

HTX: Highly toxic - the probable lethal dose for a 70 kg (150 lb.) man, which may be approximated as less than 6 teaspoons (2 tablespoons)

IRR: Irritant - Causes reversible effects in living tissues (e.g. inflammation) - primarily skin and eyes.

N/A: Not Applicable - Category is not appropriate for this product.

N/D: Not Determined - Insufficient information to make a determination for this item.

RTECS#: Registry of Toxic Effects of Chemical Substances - an unreviewed listing of published toxicology data on chemical substances.

SARA: Superfund Amendment and Reauthorization Act - Section 313 designates certain chemicals for possible reporting for the Toxic Chemical Release Inventory.

SEN: Sensitizer - Causes allergic reaction after repeated exposure.

TOX: Toxic - The probable lethal dose for a 70 kg (150 kg) man is one ounce (2 tablespoons) or more.

SECTION III: HEALTH HAZARD DATA

ACUTE EFFECT: An adverse effect on the human body from a single exposure with symptoms developing almost immediately after exposure or within a relatively short time.

CHRONIC EFFECT: Adverse effects that are most likely to occur from repeated exposure over a long period of time.

EST'D PEL/TLV: This estimated, time-weighted-average, exposure limit, developed by using a formula provided by the ACGIH, pertains to airborne concentrations from the product as a whole. This value should serve as guide for providing safe workplace conditions to nearly all workers.

HMS CODES: Hazardous Material Identification System - a rating system developed, by the National Paint and Coating Association for estimating the hazard potential of a chemical under normal workplace conditions. These risk estimates are indicated by a numerical rating given in each of three hazard areas (Health/ Flammability/Reactivity) ranging from a low of zero to a high of 4. The presence of a chronic hazard is indicated by a "YES". Consult HMIS training guides for Personal Protection letter codes, which indicate necessary protective equipment.

PRIMARY ROUTE OF ENTRY: The way one or more hazardous ingredients may enter the body and cause a generalized systemic or specific-organ toxic effect.

ING: Ingestion - A primary route of exposure through swallowing of material.

INH: Inhalation - A primary route of exposure through breathing of vapors.

SKIN: A primary route of exposure through contact with the skin.

SECTION IV: SPECIAL PROTECTION INFORMATION

Where respiratory protection is recommended, use only MSHA and NIOSH approved respirators and dust masks.

MSHA: Mine Safety and Health Administration

NIOSH: National Institute for Occupational Safety and Health.

SECTION V: PHYSICAL DATA

EVAPORATION RATE: Refers to the rate of change from the liquid state to the vapor state at ambient temperature and pressure in comparison to a given substance (e.g. water).

pH: A value representing the acidity or alkalinity of an aqueous solution (Highly Acidic pH = 1; Neutral pH = 7; Highly Alkaline pH = 14)

VOC CONTENT: The percentage or amount in pounds per gallon of the product that is regulated as a Volatile Organic Compound under the Clean Air Act of 1990 and various state jurisdictions.

SOLUBILITY IN WATER: A description of the ability of the product to dissolve in water.

SECTION VII: REACTIVITY DATA

HAZARDOUS DECOMPOSITION: Breakdown products expected to be produced upon product decomposition by extreme heat or fire.

INCOMPATIBILITY: Keep product away from listed substances or conditions to prevent hazardous reactions.

POLYMERIZATION: Indicates the tendency of the product's molecules to combine with themselves in a chemical reaction releasing excess pressure and heat.

STABILITY: Indicates the susceptibility of the product to decompose spontaneously and dangerously.

SECTION VIII: SPILL AND DISPOSAL PROCEDURES

RCRA WASTE NOS: RCRA (Resource Conservation and Recovery Act) waste codes (40 CFR 261) applicable to the disposal of spilled or unusable product from the original container.

SECTION X: TRANSPORTATION DATA

CWA: Clean Water Act - Federal law that regulates chemical releases to bodies of water.

RQ: Reportable Quantity - The amount of the specific ingredient that, when spilled to the ground and, can enter a storm sewer or natural watershed, must be reported to the National Response Center, and other regulatory agencies.

TSCA: Toxic Substances Control Act - A federal law requiring all commercial chemical substances to appear on an inventory maintained by the EPA.

DISCLAIMER

All statements, technical information, and recommendations contained herein are based on available scientific tests or data that we believe to be reliable. The accuracy and completeness of such data are not warranted or guaranteed. We cannot anticipate all conditions under which this information and our products, or the products of other manufacturers in combination with our products, may be used. Acuity Specialty Products Group assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the product label and Material Safety Data Sheet

(rev 06/02)